

FROG BAC PAC

Emergency Phone Number: 800-424-9300 CHEMTREC

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THIS PRODUCT MAY BE CONSIDERED TO BE A HAZARDOUS CHEMICAL UNDER THAT STANDARD. (REFER TO THE OSHA CLASSIFICATION IN SECTION I.) THIS INFORMATION IS REQUIRED TO BE DISCLOSED FOR SAFETY IN THE WORKPLACE. THE EXPOSURE TO THE COMMUNITY, IF ANY, IS QUITE DIFFERENT.

I. PRODUCT IDENTIFICATION

REVISION NO REVISION DATE PRODUCT NAME SYNONYMS

CHEMICAL FAMILY FORMULA DESCRIPTION OSHA HAZARD CLASSIFICATION 7
10/15/03
FROG BAC PAC
Trichlordisocyanuric Acid, TCCA, Trichlor,
Trichlord-s-triazinetrione
Chloroisocyanurates
(CINCO)₃
Swimming Pool Sanitizer
Oxidizer, skin corrosive, eye hazard, oral toxin,
lung toxin

II. COMPONENT DATA

PRODUCT COMPOSITION

CAS or CHEMICAL NAME
CAS NUMBER
PERCENTAGE RANGE
HAZARDOUS PER 29 CFR 1910.1200
EXPOSURE STANDARDS
CAS or CHEMICAL NAME
CAS NUMBER
PERCENTAGE RANGE
HAZARDOUS PER 29 CFR 1910.1200

EXPOSURE STANDARDS

Trichlore-s-triazinatrione 87-90-1 96-100 Yes None Established Dichlore socyanuric acid 2782-57-2 0-4

Yes None Established

KING TECHNOLOGY, INC. 530 11th Avenue S., Hopkins, MN 55343 (952) 933-6118 Fax (952) 933-2206

III. PRECAUTIONS FOR SAFE HANDLING AND STORAGE

DO NOT TAKE INTERNALLY, AVOID CONTACT WITH SKIN, EYES, AND CLOTHING. UPON CONTACT WITH SKIN OR EYES, WASH OFF WITH WATER.

STORAGE CONDITIONS

Store in a clean dry well ventilated area. Keep away from

Incompatible chemicals (see below).

DO NOT STORE AT TEMPERATURES ABOVE: 60 Degrees C (140 Degrees F)

PRODUCT STABILITY AND COMPATIBILITY

SHELF LIFE LIMITATIONS

Indefinite. Available chlorine loss can be as little as

0.1% per year at ambient temperatures.

INCOMPATIBLE MATERIALS FOR

PACKAGING

INCOMPATIBLE MATERIALS FOR STORAGE OR TRANSPORT

Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases

IV. PHYSICAL DATA

APPEARANCE FREEZING POINT BOILING POINT

DECOMPOSITION TEMPERATURE

SPECIFIC GRAVITY BULK DENSITY

pH OF 1% SOLUTION

VAPOR PRESSURE @ 25 DEG. C SOLUBILITY IN WATER

VOLATILES, PERCENT BY VOLUME

EVAPORATION RATE VAPOR DENSITY

MOLECULAR WEIGHT

ODOR

COEFFICIENT OF OILWATER DISTRIBUTION

DISTRIBUTION

White granular solid or tablet-form product

Not Applicable Not Applicable

Paper, cardboard

225 Deg. C (437 Deg. F) >1.0 @ 20 Deg. C

Granular-0.89 to 1.1 g/cc Tablets-1.16 to 1.90 g/cc

2.7-2.9

Not Available 1.2% @ 25 Deg. C Not Applicable Not Applicable

Not Applicable 232.5

Sharp, chlorine-like, bleach odor

Not Available

V. PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS

PERSONAL PROTECTION FOR ROUTINE USE OF FRODUCT:

RESPIRATORY PROTECTION

Wear a NiOSH/MSHA approved respirator equipped with chemical cartridge for protection against chlorine gas and a dust/mist type prefilter. A respirator protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. When dusty conditions are encountered, wear a NiOSH/MSHA approved full face respirator equipped with chemical cartridge for protection against chlorine gas and a

dust type pre-filter.

VENTILATION SKIN PROTECTIVE EQUIPMENT Use local exhaust wentilation to minimize dust levels.
Wear gloves, boots, chemical safety goggles, aprons or impermeable suit to avoid skin and eye contact. Eyewash station should be provided in the immediate work area.

EYE PROTECTION

Use chemical safety glasses (ANSI Z87.1) to avoid eye contact. Where industrial use occurs, chemical goggles may be required.

Page 2 of 9

EQUIPMENT SPECIFICATIONS

Half-face mask wom with chemical safety goggles or full face RESPIRATOR TYPE

respirator worn without. Either respirator must be equipped with chemical cartridges for protection against chlorine gas and

dust/mist prefilters.

Neoprene GLOVE TYPE BOOT TYPE APRON TYPE FACE SHIELD Neoprene Neoprene

Not normally required:

Neoprene or other impermeable suite PROTECTIVE SUIT

VI. FIRE AND EXPLOSION HAZARD INFORMATION

FLAMMABILITY DATA

No FLAMMABLE No COMBUSTIBLE No **PYROPHORIC**

Not Applicable FLASH POINT Not Applicable AUTOIGNITION TEMPERATURE

FLAMMABLE LIMITS AT NORMAL ATMOSPHERIC

TEMPERATURE AND PRESSURE (PERCENT

Not Applicable VOLUME IN AIR)

NFPA RATINGS

3 Health 0 Flammability Reactivity

OXIDIZER Special Hazard Warning

HMIS RATINGS

3 Health 0 Flammability 2 Reactivity

EXTINGUISHING MEDIA

Not Applicable

FIRE FIGHTING TECHNIQUES AND COMMENTS:

Use water to cool containers exposed to fire. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished. Do not use dry chemical extinguishers containing ammonia compounds.

REACTIVITY INFORMATION

CONDITIONS UNDER WHICH THIS PRODUCT MAY BE UNSTABLE

TEMPERATURES ABOVE

225 Degrees C (437 Degrees F)

MECHANICAL SHOCK OR IMPACT

No

ELECTRICAL (STATIC)

DISCHARGE

OTHER

Contact with small amounts of water may result in an exothermic reaction with the liberation of toxic fumes.

HAZARDOUS POLYMERIZATION

Will Not Occur

Organic materials, oils, grease, sawdust, reducing agents, INCOMPATIBLE MATERIALS

nitrogen containing compounds, other oxidizers, acids, bases, dry fire extinguishers containing ammonium

compounds

HAZARDOUS DECOMPOSITION

PRODUCTS

OTHER CONDITIONS TO AVOID

Nitrogen trichloride, chlorine, nitrous oxides, cyanates,

carbon monoxide, carbon dioxide

Damp or slightly wet product (will evolve nitrogen trichloride)

SUMMARY OF REACTIVITY

Yes **OXIDIZER PYROPHORIC** Nο ORGANIC PEROXIDE No WATER REACTIVE No

> VIII. FIRST AID

Hold eye open and rinse slowly and gently with water for 15-20 minutes. **EYES**

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Take off contaminated clothing. Rinse skin immediately with plenty of water SKIN

for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Call poison control center or doctor immediately for treatment advice. Have INGESTION

person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by the mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. INHALATION

IX. TOXICOLOGY AND HEALTH INFORMATION

ROUTES OF ABSORPTION

Inhalation, Skin, Eye, Ingestion

HARMFUL

IF INHALED OR INGESTED

HARMFUL

IF EXPOSED TO SKIN OR EYES

ODOR THRESHOLD

No Available Data

There is no data for irritation threshold.

TCCA has the potential to be immediately dangerous to life

and health.

INHALATION:

Inhalation of this material is irritating to the nose, mouth, throat, and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain, and impairment of lung function. Inhalation of high concentrations can result in permanent lung damage. Chronic (repeated) inhalation exposure may cause impairment of lung function and permanent lung damage.

EYE:

Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.

Dermal exposure can cause severe imitation and/or burns characterized by redness, swelling, and scab formation. Prolonged skin exposure may cause destruction of the dermis with impairment of the skin at side of contact to regenerate. Effects from chronic skin exposure would be similar to those from single exposure except for effects secondary to tissue destruction.

INGESTION:

Imitation and/or burns can occur to the gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding, and/or tissue ulceration.

There are no known or reported effects from chronic exposure.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Asthma and respiratory and cardiovascular disease.,

INTERACTIONS WITH OTHER CHEMICALS WHICH ENHANCE TOXICITY: None known or reported.

ANIMAL TOXICOLOGY

Acute Toxicity:

Inhalation LC 50 - > 50 mg/1 (rats, one hour exposuris)

Oral LD 50 - 490 mg/kg (rat) Dermal LD 50 - greater than 2 g/kg (rabbit)

Causes burns to eyes and skin.

Toxicity to Wildlife: LC 50

.32 ppm 96 hrs. exposure Rainbow Trout 96 hrs. exposure 48 hrs. Exposure .30 ppm Bluegill sunfish .21 mg/1 Daphnia magna 8 day dietary exposure >10,000 ppm 1,6 g/kg Mallard duck 7422 ppm 8 day dietary exposure

Bobwhite quail

Chronic Toxicity: There are no known or reported effects from repeated exposure. Toxicological investigation indicates it does not produce significant effects from chronic exposure.

Reproductive Toxicity:

There are no known or reported effects on reproductive function or fetal development. Toxicological investigation indicates it does not effect reproductive function of fetal development.

Carcinogenicity:

This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.

Mutagenicity:

This product is not known or reported to be mutagenic.

X. TRANSPORTATION INFORMATION

THIS MATERIAL IS REGULATED AS A DOT HAZARDOUS MATERIAL.

DOT DESCRIPTION FROM THE HAZARDOUS MATERIALS TABLE 49 CFR 172.101:

LAND

Trichloroisocyanuric Acid Dry, 5.1, UN 2458, PGII, ERG No. 141

WATER

Trichloroisocyanuric Acid Dry, 5.1, UN 2468, PGII, IMDG Pg. No. 5190, EmS

No. 5.1-05

AIR

Same as LAND

HAZARD LABEL / PLACARD: OXIDIZER

REPORTABLE QUANTITY: Not applicable (Per 49 CFR 172.101, Appendix)

DOT EMERGENCY GUIDE NUMBER: 42

XI. SPILL AND LEAKAGE PROCEDURES

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC AT 800-424-9300.

REPORTABLE QUANTITY: Not Applicable (Per 40 CFR 302.4)

SPILL MITIGATION PROCEDURES: Hazardous concentrations in air may be found in local spill area and immediately downwind.

If spill material is still dry, do not put water directly on this product as a gas evolution may occur. If material is wet, contact the OCEAN network for proper stabilization procedures.

AIR RELEASE - vapors may be suppressed by the use of a water fog.

WATER RELEASE - this material is heavier than water. This material is soluble in water. Stop flow of material into water source as soon as possible. Begin monitoring for available chlorine and pH immediately.

LAND SPILL - Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.

SPILL RESIDUES: Dispose of per guidelines under Section XII, WASTE DISPOSAL. This material may be neutralized for disposal; you are requested to contact OCEAN at 800-Olin-911 before beginning any such operation.